

TIRE CHANGER/MP TOOLS

- ATV/UTV UTILITY TIRES
- ATV/UTV SPORT/SAND
- ATV/UTV WHEELS
- MOTORCYCLE STREET TIRES
- OFF-ROAD TIRES
- MOTORCYCLE WHEELS
- TUBES
- EXHAUST
- CONTROL
- MOTORCYCLE ACCESSORIES
- GOGGLES
- HELMETS
- PROTECTIVE GEAR
- ATV/UTV ADD ONS
- WINCH/PLOW
- SUSPENSION
- BEARINGS
- DRIVE
- ELECTRICAL
- MISC. ACCESSORIES
- ENGINE
- FUEL/AIR
- TOOLS
- BRAKES
- CHEMICAL
- APPAREL
- CROSS REFERENCE

TIRE CHANGING JUST GOT MUCH EASIER!

- Features a wheel tension adjuster for a stable working platform.
- 8" of height adjustment.
- Has a removable top for smaller wheels.
- Tire iron/tool holder on the side.
- Available as a stand up changer or a table top changer.

STAND UP CHANGER



8" of Height Adjustment

Wheel Tension Adjuster for a Stable Working Platform.

Tire Iron and Tool Holder



MTA TABLE TOP CHANGER



Complete your order with Motion Pro Tire Irons!

PART

078-TIRE
078-TIRE-T

DESCRIPTION

MTA Table Top Tire Changing Stand, Black
MTA Stand Up Tire Changing Stand, Black

MSRP

\$56.95
\$89.95



Bead Buddy

- No more fighting to keep bead down while installing off-road tires.
- Use to push tire bead down into the drop center.
- Hook over spoke and push bead down on opposite side of tire.

PART # 059-080471
MSRP \$14.95



Rim Protector Kit

- Designed to protect alloy rims from being scratched by tire levers or tools while changing tires.

PART # 059-080357
MSRP \$9.95



Extended Rim Lock Nuts

- Replaces the original rim lock nut on many motorcycle models.
- Made from 6061-T6 aluminum with 12mm hex head (8mm X 1.25).
- Extra length makes removal and installation quick and easy.
- Comes in a 3 pack.

PART # 059-110023
MSRP \$14.95

TIRE / WHEEL TOOLS



Rim Locks

- OEM Replacement rim locks for the front and rear.

PART #	DESCRIPTION	MSRP
059-110009	1.40/1.60 WIDE	\$ 7.50
059-110010	1.85 WIDE	\$ 7.50
059-110011	2.15 WIDE	\$ 8.95
059-110017	2.50 WIDE	\$9.50



Rim Lite Locks

- One piece molded design made from special high-strength nylon composite material.
- Super light and impact resistant.
- Includes the new Motion Pro aluminum LiteLoc rim lock nut and beveled washer.
- Weighs only 68 grams (2.4 oz)
- Unique contoured shape protects inner tube from abrasion and reduces heat.
- Unique angled and tapered ribs locks tire securely to rim.
- Our testing shows these rim locks are 10 to 20 percent stronger than cast aluminum rim locks and only half the weight.

PART #	DESCRIPTION	MSRP
059-110058	1.40/1.60 WIDE	\$17.50
059-110060	2.15 WIDE	\$18.95



T6 Trail Bead Buddy

- Holds the tire bead down in the drop center of the rim during tire changes.
- Machined from tough 6000 series aluminum.
- Light weight and compact enough for any tool pack.
- Delrin securing thumb screw keeps rims scar free.
- NOT recommended for users of Bib Mousse type off-road.

PART #	DESCRIPTION	MSRP
059-080388	Trail Bead Buddy	\$11.95



Hex Axle Tool

- 17,19,22,24 MM, Chrome-Moly.
- Fits internal hex on many late model sportbike axles and some dirt bikes.
- Four metric hex sizes: 17, 19, 22, 24mm. 3/8 in. square drive on both ends.
- Honda: CBR600RR, CBR1000RR
- Kawasaki: ZX6R, ZX6RR, ZX600E/K, ZX7R, ZX9R, Z1000.
- Suzuki: GSXR 2000-2007, DL 1000 V-Strom (all), SV1000.
- Yamaha: R1, R6.

PART #	MSRP
059-080397	\$26.95



Metric Wheel Bearing Remover

- 8 piece metric set includes large and small drivers, 10mm, 12mm, 15mm, 17mm, 20mm, and 25mm removers.
- Dependable split collet design.
- Metric sizes to allow use with metric applications.
- Also available as individual components.

PART #	MSRP
059-080269	\$65.95



Professional Tire Pressure Gauge

- High quality liquid filled 2.5 in. dial gauge with protective rubber boot.
- Accurate to plus/minus 1.5 percent of maximum gauge reading.
- Blue anodized 6061 T-6 body with pressure relief valve.
- High pressure hose with dual swivels and brass ball type air chuck.

PART #	DESCRIPTION	MSRP
059-080258	Pro MX 0-30psi	\$91.95
059-080259	Pro ATV 0-15psi	\$91.95



Professional Street Tire Gauge

- Pressure range of 0-60 psi is ideal for checking sport bike tires.
- High quality liquid filled 2.5 in. dial gauge with protective rubber boot.
- Accurate to plus/minus 1.5 percent of maximum gauge reading.
- Blue anodized 6061 T-6 body with pressure relief valve.
- High pressure hose with dual swivels and brass ball type air chuck.

PART #	MSRP
059-080402	\$91.95



Superlite Hex Axle Tool

- Superlite T-6 Hex Axle Tool 17,19,22,24 MM
- Fits internal hex on many late model sportbike axles and some dirt bikes.
- Four metric hex sizes: 17, 19, 22 and 24mm 3/8 in. square drive on both ends.
- Weighs only 2.5 oz.
- For touring and trail side use only. Use 08-0397 CrMo steel version of this tool for shop use.

PART #	MSRP
059-080355	\$36.95

- ATV/UTV UTILITY TIRES
- ATV/UTV SPORT/SAND
- ATV/UTV WHEELS
- MOTORCYCLE STREET TIRES
- OFF-ROAD TIRES
- MOTORCYCLE WHEELS
- TUBES
- EXHAUST
- CONTROL
- MOTORCYCLE ACCESSORIES
- GOGGLES
- HELMETS
- PROTECTIVE GEAR
- ATV/UTV ADD ONS
- WINCH/PLOW
- SUSPENSION
- BEARINGS
- DRIVE
- ELECTRICAL
- MISC. ACCESSORIES
- ENGINE
- FUEL/AIR
- TOOLS
- BRAKES
- CHEMICAL
- APPAREL
- CROSS REFERENCE

MOTION PRO TOOLS



46mm Honda Axle Wrench Set

- Sold as a set
- Made from heat-treated steel.
- Includes a 1/2 in.- drive slot for use with a torque wrench or breaker bar.

PART # MSRP
059-080238 \$42.95



41mm Honda Axle Wrench Set

- Sold as a set
- Made from heat-treated steel.
- Includes a 1/2 in.- drive slot for use with a torque wrench or breaker bar.

PART # MSRP
059-080237 \$42.95



50mm Yam Axle Wrench Set

- Sold as a set.
- 59-080155 is relieved for use on the innermost nut during the torque process (cut-out allows it to pass over the jam nut).
- Made from heat-treated steel.
- Includes a 1/2 in. drive slot for use with a torque wrench or breaker bar.

PART # MSRP
059-080155 \$42.95



Seal Retaining Tool

- Versatile design features a 22mm hex and 3/8 in. square drive.
- Precision design prevents damage to the retainer ring after peened stakes have been removed by drilling.
- For use on 47mm lock rings.
- Replaces OEM tools 07HMA-KS70100, and 07YMA-KZ40100 to remove and replace the rear wheel bearing / seal retainer rings, part numbers 41231-KZ4-J20 and 41231-KS6-700.
- For use on CR125/250R 00-07, CRF450R 02-07, CRF450X 05-08, CRF250R 04-07, CRF250X 04-07.

PART # MSRP
059-080256 \$18.95



Blind Bearing/ Bushing Remover

- Set includes 30, 25, 20, 17, 15, 12, 10 and 8mm collets.
- Features a 2 pound slide hammer.
- Crossbar type shaft allows easy collet removal.
- Necessary tool for most transmission rebuilds.
- Can be used for wheel bearing.

PART # MSRP
059-080292 \$227.95



44mm Cr Bearing/Seal Retainer Tool

- Versatile design features a 22mm hex and 3/8 in. square drive
- Precision design prevents damage to the retainer ring after peened stakes have been removed by drilling.
- For use on; CR125/250R 84-99 and CR500R 84-01.

PART # MSRP
059-080228 \$18.50



Steel Weights

- Made from steel, lead free.
- Adhesive backed steel wheel weights.
- Will work on spoke or cast wheels.
- Black powder coat finish.

PART # DESCRIPTION MSRP
059-080454 Silver 18oz Card \$10.50
059-080455 Black 18oz Card \$10.50



Aluminum Wheel Weights

- Not sold in California
- Applies to cast aluminum and spoke wheels.
- Adhesive backing holds weight securely.
- Will not come off in extreme conditions.

PART # DESCRIPTION MSRP
059-080452 Silver 90oz Box \$36.95
059-080453 Black 90oz Box \$36.95



Pro Skin Disposable Mechanic Gloves

- Nitrile, powder free gloves.
- Textured for improved grip.
- Ambidextrous, non sterile.
- 100 gloves per box and one size fits all.

PART # MSRP
059-HNPF004 \$14.95

ATV/UTV
UTILITY TIRES
ATV/UTV
SPORT/SAND
ATV/UTV
WHEELS
MOTORCYCLE
STREET TIRES
OFF-ROAD
TIRES
MOTORCYCLE
WHEELS
TUBES
EXHAUST
CONTROL
MOTORCYCLE
ACCESSORIES
GOGGLES
HELMETS
PROTECTIVE
GEAR
ATV/UTV
ADD ON
WINCH/
PLOW
SUSPENSION
BEARINGS
DRIVE
ELECTRICAL
MISC.
ACCESSORIES
ENGINE
FUEL/AIR
TOOLS
BRAKES
CHEMICAL
APPAREL
CROSS
REFERENCE

MOTION PRO TOOLS



Standard Steel Tire Iron

- Cold forged steel.
- Comes in a convenient card pack of 10.
- Each tire iron made from steel and measures 8.5 inches long.

PART # MSRP
059-080004 \$59.95



T-6 Combo Levers

- Made from forged 7075 T-6 aluminum.
- Functional tire irons the same size as traditional fanny pack levers.
- These levers are tough and durable yet weigh next to nothing.

PART #	DESCRIPTION	MSRP
059-080286	22mm	\$32.95
059-080287	24mm	\$32.95
059-080288	27mm	\$32.95
059-080289	32mm	\$32.95



Rack For T-Handle Set

- Easily hangs on the side of most tool boxes.
- Keeps T-handles accessible and ready for action.
- 11 slots.

PART # MSRP
059-080114 \$16.95



16" Curved Steel Tire Iron

- Black finish hardened alloy steel.
- Double compound curved tire tool.
- Sold as individuals.

PART # MSRP
059-080007 \$15.50



Fork Cap Wrench

- Designed for removing the fork caps on late model RMs & CRs.
- Can be used for removal of a compression stack on late model RMs.
- Features a 46mm end on one side and 50mm on the other side.

PART # DESCRIPTION MSRP
059-080236 46mm/50mm \$20.50



Standard Steel Tire Iron

- Cold forged steel.
- Sold separately.
- Comes as a pair and measures 11 inches long.

PART # MSRP
059-080006 \$14.50



Pro Racer T-Handle Set

- Set includes the most popular size T-Handles 8mm, 10mm, 12mm, and 14mm T-handle sockets.
- No. 2 and no. 3 T-handle Phillips screwdrivers.
- Durable nickel pewter finish.
- Includes a vinyl storage pouch.
- Lifetime replacement warranty on T-Handle sockets
- One year warranty.

PART # MSRP
059-080145 \$37.95



Spoon Tire Iron

- Unique "SPOON" shape.
- Large curved end fits securely in hand.
- Hard nickel pewter finish.
- 10" long and weigh 4.2 ounces.

PART # MSRP
059-080115 \$14.95



49mm Dual Chamber Fork Cap Wrench

- Features a 49 mm, 8 point box wrench for removing the fork cap (cartridge) on dual chamber closed cartridge forks on late model Yamaha's.
- 12 mm slot for holding the damper rod for removing the rebound bolt, which allows for the removal of the cartridge from the lower fork leg.
- Made of billet 6061-T6 and anodized Motion Pro blue.

PART # MSRP
059-080429 \$20.25



Metric T-Handle Set

- Chrome steel, six deep point sockets and carbon steel T-style handles.
- Sockets include 8, 10, 12, 13, 14, 17 and 19mm.
- Sockets are nickel pewter finished for a new look and feel in T-handle sockets.
- Deep sockets allow nuts to be driven over long threaded bolts.
- Hex socket extends only part of the way inside, allowing the nut to be held in the socket.
- Slim outside diameter allows sockets to fit in tight areas .

PART # DESCRIPTION MSRP
059-080113 7-PC Metric \$45.95
059-080114 T-Handle Holder \$16.95

- ATV/UTV UTILITY TIRES
- ATV/UTV SPORT/SAND
- ATV/UTV WHEELS
- MOTORCYCLE STREET TIRES
- OFF-ROAD TIRES
- MOTORCYCLE WHEELS
- TUBES
- EXHAUST
- CONTROL
- MOTORCYCLE ACCESSORIES
- GOGGLES
- HELMETS
- PROTECTIVE GEAR
- ATV/UTV ADD ONS
- WINCH/PLOW
- SUSPENSION
- BEARINGS
- DRIVE
- ELECTRICAL
- MISC. ACCESSORIES
- ENGINE
- FUEL/AIR
- TOOLS
- BRAKES
- CHEMICAL
- APPAREL
- CROSS REFERENCE

CHAIN TOOLS

- ATV/UTV
UTILITY TIRES
- ATV/UTV
SPORT/SAND
- ATV/UTV
WHEELS
- MOTORCYCLE
STREET TIRES
- OFF-ROAD
TIRES
- MOTORCYCLE
WHEELS
- TUBES
- EXHAUST
- CONTROL
- MOTORCYCLE
ACCESSORIES
- GOGGLES
- HELMETS
- PROTECTIVE
GEAR
- ATV/UTV
ADD ONS
- WINCH/
PLOW
- SUSPENSION
- BEARINGS
- DRIVE
- ELECTRICAL
- MISC.
ACCESSORIES
- ENGINE
- FUEL/AIR
- TOOLS
- BRAKES
- CHEMICAL
- APPAREL
- CROSS
REFERENCE



Chain Press Tool Kit

- Fits 520 and 530 standard and O-ring chains.
- Optional accessories; 059-080403 to convert 08-0066 Chain Press Tool Kit into chain breaker and riveting tool for 520, 525 and 530 chain.

PART #	MSRP
059-080066	\$51.95



Jumbo Chain Tool

- Designed to break roller chain up to 630 (Fits all standard & O-ring chain sizes 520 to 630).
- Designed to rivet chain up to 530 (not 630).
- Masterlink side plate press kit included to press on side plates on chains up to 530.
- Screws & attachments are heat treated for strength and durability.
- The extractor pin is precisely guided by a removable guide, ensuring long pin life
- May be bolted to a work bench, supported in a vise or held by handle.
- When bolted to a solid surface, air or electric wrenches may be used to break chain.
- Requires 08-0142 Quad Stake Rivet Kit (not included) to rivet soft-nose type master link pin tip.

PART #	MSRP
059-080135	\$139.95



Chain Breaker Tool

- Heat treated chromoly body.
- Fits all chain sizes.

PART #	DESCRIPTION	MSRP
059-080001	Chain Breaker	\$25.95
059-080002	Replacement Pin	\$3.85
059-080230	Master Link Pliers	\$19.95



Mini Chain Press Tool

- Fits most 520 and 530 standard and O-ring chains.
- Hex key wrench is included with tool
- Perfect addition for tool packs.

PART #	MSRP
059-080070	\$16.95



Chain Breaker / Rivet Tool

- Versatile enough to be used on cam chains or drive chains.
- Will break chains from #35 to #630.
- For chain #520 and up, it is recommended to grind the rivet head.
- Includes 3 pin sizes to fit most chains (2mm, 3mm, 4mm) & press plates.
- Investment cast, hardened body and redesigned body bolt.
- Recommended for light to medium duty use.
- For riveting hollow nose master links.

PART #	MSRP
059-080058	\$94.95



Did Chain Breaker Tool

- Designed to cut your chain, press fit connecting links plates, and rivet pin heads.
- For use with D.I.D's ZJ rivet connecting link only. Do not use this to rivet D.I.D XJ or PL links or any other manufacturer's rivet connecting links.
- The KM500 may be used to cut any 520, 525, 530 or 532 chain that uses any of D.I.D's RJ, FJ, XJ, ZJ or PL connecting links.

PART #	DESCRIPTION	MSRP
DIDCC	Did Chain Cutter	\$159.95
DIDCCP	Replacement Pin	\$22.95



Quality Tools & Controls

MOTION PRO TOOLS



Mikuni Carb Cap

- Aftermarket and O.E. spec applications.
- Standard type cap for most Mikuni VM 26-34mm carbs.
- Generally used in throttle kits for Yamaha applications.

PART #	MSRP
059-010023	\$7.50



Carb Adapter Set 6mm

- Replacement carb adapter set for use with vacuum carb synchronization tools.
- See item 059-080013 for 5mm carb adapter set

PART #	MSRP
059-080040	\$10.50



Sync-Pro Carb Tuner

- Precise four channel vacuum indicator designed specifically for intake synchronization of engines with multiple carburetors or throttle bodies (max vacuum range 40cm Hg).
- For use with any 2, 3 or 4 cylinder four stroke motorcycles.
- Rugged, impact resistant ABS enclosure with convenient storage area for adapters.
- Includes manometer fluid, hoses, 5mm adapters, in-line restrictors and instructions.
- 5mm adapters are used on many Honda and Suzuki models.

PART #	DESCRIPTION	MSRP
059-080411	Sync Pro Carb Tuner	\$99.95



Idle Kit Blaster/Banshee

- Used to install a standard Mikuni idle adjuster into the carburetor body.
- For use on Yamaha Banshee and Blaster models
- Idle adjuster is necessary if carburetor top has been replaced with a standard Mikuni cap.
- Kit includes a drill bit (#6), thread tap (6mm x .75mm), 2 idle screws with lock nuts and instructions.
- Drill press or mill should be used to drill holes in the carburetor bodies.

PART #	MSRP
059-080045	\$24.95



Valve Spring Compressor

- Improved quick action design.
- Used in same applications as Honda tool 07757-0010000 and Kowa tool AKS-215-1010 OEM tools.
- Accepts Motion Pro adapters (08-0248) as well as Honda OEM adapters 07GME-KT70200, 07JME-KY20100, and 07959-KM30101.
- For use in shim under bucket and small diameter valve spring keeper applications.
- Both cup type and ball type tips are included.

PART #	MSRP
059-080247	\$113.95



Cable Fitting 10-Pack

- Throttle cap cable adjuster screw.
- Fits Motion Pro TORS eliminator carb cap for Mikuni carbs.
- Included with Motion Pro throttle kit for Banshee and some other Yamaha ATVs.
- Not for use with stock carb cap.
- Pack of 10 in polybag.

PART #	DESCRIPTION	MSRP
059-010013	CABLE FITTING	\$18.95



Idle Screw

- Mikuni Carb idle screw.

PART #	MSRP
059-010026	\$3.25



Auxiliary Fuel Tank

- For use when tuning a motorcycle with the gas tank removed.
- Includes 4 ft. of 1/4 inch fuel line and an 1/4 inch in-line fuel barb.
- On fuel injected motorcycles, use our 08-0189 Deluxe Auxiliary Fuel Tank.
- Tank can also be used for refilling transmission oil on some late model MX bikes.
- Holds up to 2000cc or 1/2 gallon of fluid.

PART #	MSRP
059-080032	\$48.95

- ATV/UTV
UTILITY TIRES
- TV/UTV
SPORT/SAND
- TV/UTV
HEELS
- MOTORCYCLE
REET TIRES
- FF-ROAD
RES
- MOTORCYCLE
WHEELS
- TUBES
- EXHAUST
- CONTROL
- MOTORCYCLE
ACCESSORIES
- GOGGLES
- HELMETS
- PROTECTIVE
GEAR
- ATV/UTV
ADD ONS
- WINCH/
PLOW
- SUSPENSION
- BEARINGS
- DRIVE
- ELECTRICAL
- MISC.
ACCESSORIES
- ENGINE
- FUEL/AIR
- TOOLS
- BRAKES
- CHEMICAL
- APPAREL
- CROSS
REFERENCE

MOTION PRO TOOLS

- ATV/UTV
UTILITY TIRES
- ATV/UTV
SPORT/SAND
- ATV/UTV
WHEELS
- MOTORCYCLE
STREET TIRES
- OFF-ROAD
TIRES
- MOTORCYCLE
WHEELS
- TUBES
- EXHAUST
- CONTROL
- MOTORCYCLE
ACCESSORIES
- GOGGLES
- HELMETS
- PROTECTIVE
GEAR
- ATV/UTV
ADD ON'S
- WINCH/
PLOW
- SUSPENSION
- BEARINGS
- DRIVE
- ELECTRICAL
- MISC.
ACCESSORIES
- ENGINE
- FUEL/AIR
- TOOLS
- BRAKES
- CHEMICAL
- APPAREL
- CROSS
REFERENCE



Folding T-Wrench W/Sockets

- Compact 1/4in drive folding T-handle is perfect for all tool packs.
- Includes a nylon carrying case with internal pockets to hold additional accessories.
- Features a durable hard nickel pewter finish.
- One year warranty.
- Set includes 8, 10, 12, and 13mm six point sockets.

PART #	MSRP
059-080297	\$29.95



6.3mm Spoke Wrench

- Chrome-vanadium tool steel with a hard nickel pewter finish.
- Square-end openings which grip the spoke nipple on all four sides.
- Offset slotted ends make it easy and quick to use.

PART #	MSRP
059-080133	\$12.95



Spoke Wrench 6.5/6.8mm

- Chrome-vanadium tool steel with a hard nickel pewter finish.
- Square-end openings which grip the spoke nipple on all four sides.
- Offset slotted ends make it easy and quick to use.

PART #	MSRP
059-080157	\$12.95



Spoke Wrench 5.0 / 7.0mm

- Chrome-vanadium tool steel with a hard nickel pewter finish.
- Square-end openings which grip the spoke nipple on all four sides.
- Offset slotted ends make it easy and quick to use.

PART #	MSRP
059-080296	\$12.95



Uni Sag Scale

- Direct reading scale.
- Adjustable for offroad and MX bikes.
- Will accommodate most hollow rear axles ranging from 9.7mm to 20.5mm inside diameter.
- Attaches directly to rear seat bolt on all mx/offroad applications with M6x1.0 & M8x1.25 thread pitches.
- Anodized aluminum body with laser engraved markings.
- For use on late model KTM we recommend purchasing optional fender clamp p/n 08-0440.
- Another option for KTM owners is to swap the direction of the rear axles and use the silencer mounting location in lieu of the 08-0440 Fender Clamp.

PART #	MSRP
059-080406	\$89.95



Folding Sag Scale

- Aluminum construction with stainless steel hinges.
- Rigid folding design fits in most tool boxes.
- Adjustable zero set point w/extended range.
- Will work on mini and full size bikes.
- Inch and metric scale combination.
- Installs in real axle, is for shock & fork sag.
- Direct reading scale (no subtracting required) with white background and black lettering.

PART #	MSRP
059-080336	\$36.99



Pro Quad Stake Rivet Tool

- This accessory for the 059-080135 Jumbo Chain Tool will safely and properlypeen soft-nose-type master link pin tip.
- Specifically designed for use in the 059-080135 Jumbo Chain Tool.
- Retain that factory quad stake look.

PART #	MSRP
059-080142	\$22.95



Valve Core Remover

- Easily removes the valve core for tire changing.
- Great for your trail tool pack.

PART #	MSRP
059-080183	\$3.50



Uni-Sag Fender Clamp

- Allows attachment of UniSag sliding sag scale to fender.
- For use on late model KTM.
- Made from 6061-T6 aluminum.

PART #	MSRP
059-080440	\$31.95

MOTION PRO TOOLS



Fork Seal Drivers

- Fits 35 mm and 36 mm fork legs.
- CAD-II plated carbon steel split design.
- Weighs approximately 25oz.

PART #	DESCRIPTION	MSRP
059-080124	43mm	\$42.95
059-080125	45mm	\$42.95
059-080138	46/47mm	\$42.95
059-080331	48mm	\$42.95



Fork Oil Level Gauge

- For checking and adjusting the oil level on all conventional and single chamber cartridge forks.
- Adjustable ring will measure oil levels from 0 to 300mm in 0.5cm increments.
- Syringe has a capacity of 60ml.
- Can be used on bicycles equipped with front suspension.
- Also replaces HD tool HD-590000-B and Buell tool B-590000-B.

PART #	MSRP
059-080121	\$21.95



T-Stem Nut Wrench

- Thin profile combination wrench has an open end wrench for loosening the T-Stem nut on late-model motocross bikes and some sportbike applications without removing the handlebars.
- The other side of the wrench has a spanner wrench that fits the slotted spanner nut used to set steering stem bearing adjustment.
- Can be used without removing the triple clamps.
- 32 mm open end side fits T-Stem nut on most Honda CR models.
- 46mm spanner side fits slotted spanner nut on most Honda CR models.

PART #	DESCRIPTION	MSRP
059-080232	Honda, 32mm	\$43.95
059-080233	Kawasaki, 32mm	\$43.95
059-080234	Suzuki, 32mm	\$43.95
059-080235	Yamaha, 30mm	\$43.95



Combo Fork Damper Tool

- Aids in assembly and disassembly of most 41, 43 & 45 Kayaba and Showa inverted forks.
- Is used in applications where the manufacturer recommends the following tools: Honda; OEM tool # 07PMB-KZ4010A/ Yamaha; OEM tool# YM-1423.
- Hardened steel with black finish.

PART #	MSRP
059-080117	\$34.95



Pro Fork Alignment Tool

- Quick and easy to use tool for aligning front forks to insure they are parallel from top to bottom.
- Knurled adjustment screws for easy setup
- Reduces friction and improves the performance of your front suspension
- Reduces seal and bushing wear
- Fits most MX and Off-Road motorcycles
- Will work on 27 mm - 62 mm fork legs and tubes
- Works on forks that are 140 mm to 220 mm on center.

PART #	MSRP
059-080412	\$29.95



Cable Luber

- Keep your cables clean and lubed for longer life and ease of pull.

PART #	MSRP
059-080182	\$9.50



Fork Compression Valve Remover

- Replaces Yamaha OEM YM-01500.
- For removing the compression valve from cartridge.
- 19mm drive hex / 36mm octagon.
- Manufactured out of billet 6061 T-6 aluminum.
- Applications: Yamaha: YZ 125/250 05-06, YZ 250F/450F 06.

PART #	MSRP
059-080373	\$20.95



Fork Seal Bullet (Set Of 7)

- Protects the fork seal and wiper of inverted forks from damage by the bushing groove during installation.
- Eliminates the need to wrap the fork tube with tape.
- Set includes 36, 41, 43, 45, 46, 47, and 48 mm bullets.

PART #	DESCRIPTION	MSRP
059-080272	Set of 7	\$40.95
059-080273	36mm Red	\$6.50
059-080274	41mm Blue	\$6.50
059-080275	43mm Green	\$6.50
059-080276	45mm Yellow	\$6.50
059-080277	46mm Black	\$6.50
059-080279	47mm White	\$6.50
059-080332	48mm Orange	\$6.50



Timing Plug Wrench

- Fits the straight slot timing plugs on most motorcycles and ATVs.
- Blade sizes are 16mm (5/8 in.), 22mm (7/8 in.) and 38mm (1 1/2 in.)

PART #	MSRP
059-080087	\$17.95

ATV/UTV
UTILITY TIRES

ATV/UTV
SPORT/SAND

ATV/UTV
WHEELS

MOTORCYCLE
STREET TIRES

OFF-ROAD
TIRES

MOTORCYCLE
WHEELS

TUBES

EXHAUST

CONTROL

MOTORCYCLE
ACCESSORIES

GOGGLES

HELMETS

PROTECTIVE
GEAR

ATV/UTV
ADD ONS

WINCH/
PLOW

SUSPENSION

BEARINGS

DRIVE

ELECTRICAL

MISC.
ACCESSORIES

ENGINE

FUEL/AIR

TOOLS

BRAKES

CHEMICAL

APPAREL

CROSS
REFERENCE

MOTION PRO TOOLS



Maxi-Ject Pro Brake Bleeder

- Precision metal construction.
- High hydraulic advantage.
- Automatic refill and adjustable injection stroke.
- 15 ml/injection stroke.
- Adjustable spring tension.
- Controllable injection pressure.
- Clutch & brake applications.
- RFI technology (Reverse Fluid Injection) injects fluid at the low point the slave bleeder valves. RFI takes advantage of the laws of physics: air rises in fluid. The complete system is bled by forcing the air up and out the master cylinder reservoir. The brake fluid then fills the reservoir.

PART #	MSRP
059-080215	\$499.95



Pro V12 Injector Brake Bleeder

- 12 ml/injection stroke.
- Clutch & brake applications.
- High hydraulic advantage.
- Adjustable injection stroke.
- Full modular capabilities.
- RFI technology (Reverse Fluid Injection) injects fluid at the low point the slave bleeder valves. RFI takes advantage of the laws of physics: air rises in fluid. The complete system is bled by forcing the air up and out the master cylinder reservoir. The brake fluid then fills the reservoir.

PART #	MSRP
059-080214	\$205.95



Brake/Clutch Bleeder Tool

- Handle and body are made of high-strength Zytel (glass-reinforced nylon).
- 10 ml. of fluid per injection stroke.
- RFI technology,
- Ergonomic design is compact and comfortable to use.
- Affordable to the individual technician or enthusiast.
- Includes adapters to fit most brake systems and brake fluid cans.
- Compatible with all brake fluids.
- Main body colors may vary.

PART #	MSRP
059-080316	\$106.95



Pro Bleeder (Pair)

- For use on most Kayaba and Showa inverted forks with a M5x0.8 air bleed screw in the fork cap.
- Easy to install, simply replace the OE bleeder screw with the Pro Bleeder.
- Reduces harshness caused by air build-up.
- Allows bleeding of air pressure without tools.
- Kit includes bleeder valves and adapters (installed height of 7/8 in. or 22mm).

PART #	MSRP
059-110027	\$12.95



Ktm Pro Bleeder (Pair)

- Pro Bleeder WP43-48 W/O Ext Preload.
- For use on all 1999 and later WP 43/ WP 48 fork caps (P/N's 4860.0020S and 4860.0020S1) without external spring preload adjustment. These fork caps DO NOT require a pin spanner to remove the fork cap.
- Easy to install, simply replace the OE bleeder screw with the Pro Bleeder
- Reduces harshness caused by air build-up
- Allows bleeding of air pressure without tools
- Kit includes bleeder valves and adapters (installed height of 7/8 in. or 22mm).

PART #	MSRP
059-110031	\$12.95



Premium Fuel Lines

- Stronger and more durable than vinyl fuel line.
- Use with any type of gasoline.
- Resists swelling and hardening.
- Resistant to direct sunlight, hardening and/or cracking.
- Flexible in temperatures from -35F to +165F.
- Fuel line stretches easily over fittings or petcocks.

PART #	DESCRIPTION	MSRP
059-120040	3/16" Black, 25' Roll	\$66.95
059-120041	1/4" Black, 25' Roll	\$109.95
059-120043	3/16", 25' ROLL	\$66.95
059-120044	1/4" 25' ROLL	\$109.95
059-120045	5/16", 25' ROLL	\$116.95



Tech Apron

- Adjustable neck strap.
- Deep pockets.
- Pure cotton with vinyl bottom protector.

PART #	MSRP
059-200000	\$34.95



S/S Hose Clamps 1/4" - 5/8" 10pk

- Made of corrosion-resistant stainless steel
- Conventional-type worm drive hose clamps 1/4 in. hex head with screwdriver slot
- Sold in packs of 10

PART #	DESCRIPTION	MSRP
059-120022	1/4-5/8"	\$16.95
059-120023	7/16"-25/32"	\$16.95

ATV/UTV
UTILITY TIRES
ATV/UTV
SPORT/SAND
ATV/UTV
WHEELS
MOTORCYCLE
STREET TIRES
OFF-ROAD
TIRES
MOTORCYCLE
WHEELS
TUBES
EXHAUST
CONTROL
MOTORCYCLE
ACCESSORIES
GOGGLES
HELMETS
PROTECTIVE
GEAR
ATV/UTV
ADD ONS
WINCH/
PLOW
SUSPENSION
BEARINGS
DRIVE
ELECTRICAL
MISC.
ACCESSORIES
ENGINE
FUEL/AIR
TOOLS
BRAKES
CHEMICAL
APPAREL
CROSS
REFERENCE

ENGINE TOOLS



Compression Tester

- Designed to check cylinder compression.
- Contains hoses for 10, 12 & 14mm spark plug applications.
- Features a quick disconnect with a pressure release valve and a 300 psi. gauge.
- Packed in a convenient carry box, complete with instructions.

PART # **MSRP**
059-080188 \$115.20



2-Stroke Leak Down Tester

- Designed to check for air leaks in 2-stroke engines.
- Includes air pressure gauge, pump-up bulb and most fittings and adapters for single and twin cylinder 2-stroke motorcycle engines.
- Packed in a convenient carry box, complete with instructions.

PART # **MSRP**
059-080071 \$344.19



Gear Jammer

- Locks gears in place for easy installation and removal.
- Allows tightening lock nuts to proper torque setting.
- Works on virtually any motor.
- Powerful magnet holds tool in place during use.
- Billet 6061 T-6 aluminum construction.
- Originally developed for removing and installing the primary gear on a Honda CRF 450.
- Not for use with impact guns.

PART # **MSRP**
059-080427 \$15.67



4-Stroke Leak Down Tester

- Designed to check the amount of cylinder leakage in a 4-stroke engine.
- With an air source of 70 to 160 psi. this system will pressurize the cylinder with 60 psi. of air.
- Gauge will register the total percentage of leakage past the rings, head gasket, intake and exhaust valves.
- 10, 12, & 14mm spark plug thread hoses, regulator and gauge included.
- Includes convenient carrying box.

PART # **MSRP**
059-080126 \$170.09



Clutch Holding Tool

- Made from medium carbon steel with hardened jaws.
- Holds clutch hubs, flywheels, gears, sprockets, etc.
- Features 8mm spanner pins.
- Jaws open up to 5 inches wide.
- Recommended for square tooth style clutch hubs.
- Not recommended for v-groove or half round style clutch hubs.

PART # **MSRP**
059-080008 \$25.75



Multi-Valve Tool

- Used to install valve spring keepers.
- Replaces the large clamp type valve spring compressor.
- The small tool is designed to fit the valves of 4 and 5 valve cylinder head (5mm valve stem dia. or smaller).
- The large tool is designed to fit valves with cylinder heads (5.5mm valve stem diameter or larger) with under 40 lbs. seat pressure.
- Instructions included. Made in U.S.A.

PART # **MSRP**
059-080165 \$118.66
059-080166 \$117.21



Spring Hook

- Used to remove exhaust pipe springs, seat or tank holding springs, cotter pins, sidestand springs and other parts.

PART # **MSRP**
059-080127 \$16.95



Crankcase Separator

- Will work on most 2 & 4 stroke engines with vertically split cases.
- Movable fingers allow a multitude of bolt patterns to be used.
- Includes 6mm & 8mm mounting bolts.
- Our unique design eliminates binding under heavy loads.

PART # **MSRP**
059-080245 \$217.91



Counter Balancer Tool

- 4-Pin spanner made of heat-treated steel
- Inside diameter is 20mm
- Use with a 3/8 in. driver
- Fits Counter Balancer Nut on: CRF450R 02-07, CRF450X 05-08 Fits Clutch Hub Nut on: PC50 69-70, Z50 68-99, S65 65-69 Fits Crank Shaft Nut on: CA100 (Trail 50) 61-62, CA102 62-69, CA105 (Trail 50) 63-65, CA110 62-69.

PART # **MSRP**
059-080385 \$9.40

- ATV/UTV UTILITY TIRES
- ATV/UTV SPORT/SAND
- ATV/UTV WHEELS
- MOTORCYCLE STREET TIRES
- OFF-ROAD TIRES
- MOTORCYCLE WHEELS
- TUBES
- EXHAUST
- CONTROL
- MOTORCYCLE ACCESSORIES
- GOGGLES
- HELMETS
- PROTECTIVE GEAR
- ATV/UTV ADD ONS
- WINCH/PLOW
- SUSPENSION
- BEARINGS
- DRIVE
- ELECTRICAL
- MISC. ACCESSORIES
- ENGINE
- FUEL/AIR
- TOOLS
- BRAKES
- CHEMICAL
- APPAREL
- CROSS REFERENCE

MOTION PRO TOOLS

- ATV/UTV
UTILITY TIRES
- ATV/UTV
SPORT/SAND
- ATV/UTV
WHEELS
- MOTORCYCLE
STREET TIRES
- OFF-ROAD
TIRES
- MOTORCYCLE
WHEELS
- TUBES
- EXHAUST
- CONTROL
- MOTORCYCLE
ACCESSORIES
- GOGGLES
- HELMETS
- PROTECTIVE
GEAR
- ATV/UTV
ADD ON'S
- WINCH/
PLOW
- SUSPENSION
- BEARINGS
- DRIVE
- ELECTRICAL
- MISC.
ACCESSORIES
- ENGINE



Twist Throttle Kits And Accessories:

Motion Pro is your source for Twist Throttle Conversions. We offer a wide range of kits for all different styles of ATV's, including replacement cables for use with stock throttles and aftermarket carburetors.

PART #	DESCRIPTION	MSRP
059-010053	CR PRO THROTTLE	\$17.30
059-010057	TURBO THROTTLE	\$22.39
059-010094	OEM THRTL TUBE, YZF,KXF,RMZ450	\$8.92
059-010097	OEM THROTTLE TUBE, CRF250/CRF450R-X	\$8.92
059-010242	THROTTLE CABLE	\$22.49
059-010312	CR PRO TWIST THROTTLE KT, ATC185	\$36.74
059-010313	CR PRO TWIST THROTTLE KT, BANSHEE '87-06	\$57.38
059-010317	CR PRO TWIST THROTTLE KT, TRX300 '93-07	\$37.68
059-010337	CR PRO TWIST THROTTLE KT, BLASTER '88-06	\$39.86
059-010345	TURBO TWIST THROTTLE KIT BANSHEE 87-06	\$59.98
059-010351	T.O.R.S ELIM. THROTTLE KIT, BANSHEE	\$38.58
059-010359	CR PRO TWIST THRTL KIT, RAPTOR350 '04-08	\$38.06
059-010377	CR PRO TWIST THROTTLE KIT TRX680 07-08	\$33.35
059-010390	T.O.R.S. ELIMINATOR KIT BLASTER	\$26.37
059-010409	THROTTLE CABLE	\$12.92
059-010501	CR PRO TWIST THROTTLE KT, TRX400EX '99-04	\$35.84
059-010516	CR PRO TWIST THRTL KT, DS650 '00-07	\$37.37
059-010520	CR PRO TWIST THROTTLE KT, RAPTOR 660 '01-05	\$37.73
059-010521	VORTEX TWIST THRTL KT, RAPTOR 660 '01-05	\$47.93
059-010562	VORTEX TWIST THROTTLE KT, KFX/LTZ400 '03-07	\$47.93
059-010563	CR PRO TWIST THROTTLE KT, KFX/LTZ400 '03-07	\$34.96
059-010571	CR PRO TWIST THROTTLE KIT PREDATOR 500 04-07	\$38.87
059-010572	VORTEX TWST THRTL KT, PREDATOR 500 04-07	\$51.79
059-010575	VORTEX TWIST THROTTLE KT, KFX700 '03-06	\$59.15
059-010579	VORTEX TWIST THROTTLE KT, YFZ450 '04-08	\$50.80
059-010580	CR PRO TWIST THROTTLE KT, YFZ450 '05-07	\$43.96
059-010813	THROTTLE CABLE	\$23.62
059-011040	OEM THROTTLE TUBE	\$8.92
059-012512	CR PRO TWIST THROTTLE KT, TRX450R '04-08	\$40.48
059-012516	CR PRO TWIST THRTL KT, BRUTE FORCE 750 '05-08	\$88.38
059-012521	T2 SPORTBIKE CABLE KIT	\$42.01
059-012531	CR PRO TWIST THROTTLE KIT, TRX400EX '05-07	\$53.97
059-012533	VORTEX TWIST THROTTLE KIT, TRX400EX '99-07	\$65.12
059-012534	CR PRO TWIST THROTTLE KIT, RAPTOR 700 '06-07	\$41.85
059-012569	CR PRO TWST THRTL KIT, RENEGADE 800 '07	\$46.06
059-012575	CR PRO TWIST THROTTLE KIT, LTR450 '06-08	\$51.84
059-012603	CR PRO TWIST THROTTLE KIT, RAPTOR 250 08-09	\$57.83
059-020414	T2 THROTTLE CABLE SET	\$16.19
059-050251	T2 THROTTLE CABLE, GREY	\$19.39
059-050252	T2 CLUTCH CABLE, GREY	\$33.07

90 Degree 1/4" Hex Driver

- Precision made of aircraft grade aluminum & stainless steel.
- Designed for hard-to-reach areas and air/fuel mixture screws on multi-cylinder motorcycles
- Gear driven 1/4 in. hex drive.
- Includes five 1/4 in. hex drive bits (all 1/2 in. long) - Straight-slot, Phillips, D-shaped air/fuel mixture screw bit, 6mm hex jet bit & 1/4 in.-hex-to-1/4 in.-drive bit
- Can be used with any 1/4 in. or 6mm hex bits
- Strongest tool of its type on the market
- Max torque is 60 in. lbs.

PART # MSRP
059-080229 \$89.85



Cam Gear Holder

- Allows you to easily torque the cam gear bolts on a 2002-2006 CRF450R/X & 2004-2008 TRX450R/ER without a second person.
- Holds cam gear in place during removal and installation of cam gear bolts.
- Works on stock and aftermarket CRF450 & TRX450 cam gears.
- Reduces stress on cam chain and adjuster.
- Billet 6061 T-6 aluminum construction with hardened steel pin.

PART # MSRP
059-080437 \$25.73



2-Stroke Water Cooled Timing Kit

- Kit includes a dial indicator with extensions and a 14mm spark plug thread adapter.
- Allows inspection and adjustment of ignition timing.
- Designed to clear frame tubes on most recent water cooled models.
- Gauge face size 1 1/2 in.

PART # MSRP
059-080250 \$137.17



Float Bowl Wrench

- Designed to remove 17mm float bowl drain plugs.
- Made from lightweight 6061 T-6 aluminum.
- Compact design to carry in your tool pack.
- 12 point hex and low profile design for tight access.

PART # MSRP
059-080366 \$13.33



Tappet Feeler Gauges

- Self service display card with 6 individual feeler gauges.
- Allows accurate tappet adjustments.
- Angled blade for easy access to tappets.
- Makes valve adjustments quick and easy.

PART # MSRP
059-080055 \$31.20

FLYWHEEL PULLERS

FLYWHEEL PULLER

Flywheel Puller - 27mm X 1.0 L.H (Part # 059-080026):

- Fits most late model MX bikes:
- Honda** CR80R/125R/250R/450R/480R/500R, XL80/100/100S/170, XR100/100R, XR50/CRF50 00-04, FL250, ATC70/110 (CDI ONLY), ATC185/ 250R, TRX250R 86-89, TRX90 93-00, TRX70/125 & EARLY 50cc.
- Kawasaki** KD/KX/KDX80, KM100, KS100, KS125 & most two-stroke external flywheel models and earlier point type ignitions.
- Suzuki Quad Racers, 125/160EK/250R, DR100/125/200, DS80, ALT185, 50-125cc Trail & Street models & most late model RMs.
- Yamaha** Most single cylinder off-road, enduro, MX, YZ & Quads with external flywheels 1968 & later, BW80, RIVA50, PW50, RZ350, TT500, XT500, YFM80/100/200/225, YFS200, YFZ350, YSR50, YT125/175 & YZ400F, YZ450F.
- KTM** 65SX 99-04, 85SX 04, 105SX 04, 200 EXC/MXC 98-05, 125/250 SX/EXC/MXC 98-05 & 250/300/380 SX/EXC/MXC 97-05.



Flywheel Puller
M24 x 1.5 R.H.I.T.

Flywheel Puller - 16mm X 1.5 R.H (Part # 059-080027):

- Honda**: ATC90, ATC110 with breaker points, CB175, CT90/350G/360/ 500/500T, CM185/200T/450, CMX250, early CR125/250MX, SL175/350.
- Kawasaki**: KH400A, KLF300 86-87, KLT110/200, KX125/250/420/500pre-81 models, KZ1000/1300 & Z1Suzuki: GS550/650/750/Early 1100 & most 4-stroke street models.
- Yamaha**: Most 4-stroke street models & 250/350 electric start 2-stroke twins, FZ600, FZR600/750/1000, TT225, XJ550/650/700/ 750/900, FJ600/750/1000.



Flywheel Puller
M18 x 1.5 R.H.

Flywheel Puller - 6 X 25/8 x 40 (Part # 059-080160):

- Puller kit for pulling magneto flywheel or starter gear.
- Includes three 6 x 25 mm and three 8 x 40 mm bolts.
- Kawasaki** Jet Ski 300/440/550.
- Yamaha** WR250F 01-02 and WR400F Flywheel.



Flywheel Puller
M35 x 1.5 R.H.I.T.

Flywheel Puller - 22mm X 1.5 R.H (Part # 059-080074):

- Honda**: FT/GB500, NT/NX650, TL250, VF500C/700C 84-86, VF700F/S, VF750C 82-83, VF750F/S, VF1000F/R, VF1100C/S, VFR700/750F 86, VT500C/ FT, VT600C/CD 88-89, 91-96, VT600C/CD/CD2 97-02, VT750C/CD/CD2, XL250/350/500/600, & XR500/600/650L.
- Kawasaki**: KLR 600A 84-86 AND KLR650 1996 and up.

Flywheel Puller - 24mm X 1.5 R.H.I.T (Part # 059-080257):

- Includes 12mm crankshaft protector cap (OE tool 07AMC-MEBA110).
- Replaces **Honda** OEM tool 07AMC-MEBA100.
- Kawasaki** OEM tool 57001-1565.
- Suzuki OEM tool K5700-11565-LPT.
- Honda** CRF 450R 02-07, CRF250R/CRF250X 03-07, CRF150R 07-08.
- Kawasaki** KX 250F 04-05, KX 450F 06.
- Suzuki RM-Z 250 04-06, RM-Z 450 05-06.
- Yamaha** YZ 450F 06-07.

Flywheel Puller - 38mm X 1.5 R.H (Part # 059-080306):

- Replaces OEM tool 09930-31921.
- Includes crankshaft protector.
- Arctic Cat** DVX 400 04'-07'.
- Kawasaki** KLX 400, KSF 400 03'-06'.
- Suzuki AN 400 03'-07', DR-Z250 01'-07', LTZ90 '07, LTZ250 '04-07, LTF300F 99'-01, DR-Z400 01'-06, DR-Z400E 00'-07', DR-Z400S 00'-06', DR-Z400SM 05'-07, LT-Z400 03'-07, LTR450 '06-08.



Flywheel Puller - 30mm X 1.0 R.H (Part # 059-080386):

- Replaces OEM tool YM-04141.
- Yamaha** WR 250F 2003 - 2006.

Flywheel Puller - 35mm X 1.5 R.H.I.T (Part # 059-080349):

- Yamaha** YFM 350 97, YFM 350ER 89-95, YFM 350FAH40 04, YFM350FW 89-99, YFM 350FX 95-96, YFM 350S/RT 04-05, YFM 350U 96-99, YFM 350X 89-03, YFM 35AS 04-05, YFM 35FX 97-03, YFM 35FXS 04-05, YFM 35XS 04-05, YFM 400A 00-02, YFM 400F 96-99, YFM 400FA 22-04, YFM 400FAHS 04-05, YFM 400FAT 05, YFM 400FM 00, YFM 400FS 04-05, YFM 400FT 05, YFM 400FW 99-03, YFM 400N 00-03, YFM 400P 01, YFM 400S 04-05, YFM 660F 02-06, 06 YFM 700R.
- Kawasaki**: EX 250E 1986-1987, EX 250F 1988-2007.

Flywheel Puller - 33mm X 1.5 R.H.I.T (Part # 059-080390):

- All steel construction.
- Durable black oxide finish.
- Yamaha** YFZ 450 04-07, WR 450F 04-06.
- GSXR 600 01-05, GSXR 750 01-05, GSXR 1000 01-05.

Flywheel Puller - 5mm (Part # 059-080424):

- Fits 1989 - 2008 Suzuki RM80/RM85.
- Replaces OEM tool 09930-30211.
- Has a hex head type drive bolt.
- Not for use with a slide hammer.
- Comes with 5mm hardware.
- Includes a handle for ease of use.

Flywheel Puller - 28mm x 1.0 R.H.I.T (Part # 059-080372): M28 X 1.0 R.H.

- Internal Thread.
- Replaces OEM tool 070MC-HP1A100.
- Includes M14x1.25 shaft protector cap OEM tool 070MC-HP1A110.
- Honda** TRX450R 2004 - 2005, CR250R 1978-1980.
- Kawasaki** KLX110 2003-2007
- Suzuki DRZ110 2003-2005.
- Puller body also fits CRF450X 2004-2007 but requires thread protector C08-0257B.
- For complete Flywheel Puller kit for the CRF450X 2004-2007 order part 08-0425.

PART #	DESCRIPTION	MSRP
059-080026	27mm X 1.0 - L/H	\$14.20
059-080027	16mm X 1.5 - R/H	\$8.76
059-080160	YZ/WR250-400F '01-02	\$27.22
059-080074	22mm X 1.5 - R/H	\$8.28
059-080257	24mm X 1.5 - R.H.I.T	\$25.80
059-080306	38mm X 1.5 - R.H	\$54.20
059-080349	35mm X 1.5 - R.H.I.T	\$32.90
059-080386	30mm X 1.0 - R.H	\$19.88
059-080390	33mm x 1.5 - R.H.I.T	\$37.64
059-080424	RM80/85	\$37.64
059-080372	28mm X 1.0 - R.H.I.T	\$31.24

Flywheel Puller M33 x 1.5 R.H.I.T.



- ATV/UTV UTILITY TIRES
- ATV/UTV SPORT/SAND
- ATV/UTV WHEELS
- MOTORCYCLE STREET TIRES
- OFF-ROAD TIRES
- MOTORCYCLE WHEELS
- TUBES
- EXHAUST
- CONTROL
- MOTORCYCLE ACCESSORIES
- GOOGLES
- HELMETS
- PROTECTIVE GEAR
- ATV/UTV ADD ONS
- WINCH/PLOW
- SUSPENSION
- BEARINGS
- DRIVE
- ELECTRICAL
- MISC. ACCESSORIES
- ENGINE
- FUEL/AIR
- TOOLS
- BRAKES
- CHEMICAL
- APPAREL
- CROSS REFERENCE

MOTION PRO TOOLS

- ATV/UTV UTILITY TIRES
- ATV/UTV SPORT/SAND
- ATV/UTV WHEELS
- MOTORCYCLE STREET TIRES
- OFF-ROAD TIRES
- MOTORCYCLE WHEELS
- TUBES
- EXHAUST
- CONTROL
- MOTORCYCLE ACCESSORIES
- GOGGLES
- HELMETS
- PROTECTIVE GEAR
- ATV/UTV ADD ONS
- WINCH/ PLOW
- SUSPENSION
- BEARINGS
- DRIVE
- ELECTRICAL
- MISC. ACCESSORIES
- ENGINE
- FUEL/AIR
- TOOLS
- BRAKES
- CHEMICAL
- APPAREL
- CROSS REFERENCE



Cables

Motion Pro offers a full line of black vinyl OEM replacement cables, clutch cables which are available with our longitudinally wound (LW) housing that provides a smooth, easy to pull, compression free clutch cable.

IMPORTANT: Motion Pro throttle and clutch cables are supplied dry without lubricant and must be lubricated with Motion Pro Cable Lube (15-0002) prior to use. Motion Pro speedometer cables are assembled with lithium grease and do not need to be lubricated prior to installation. All control cables require regular maintenance and lubrication. Improper cable maintenance will lead to premature cable failure.



Off-Road OEM Replacement Polished Levers

- Meets or exceeds O.E. quality

Please refer to pages in the Control Section for a list of Motion Pro Throttle, Clutch, and Brake cables, as well as levers.

